












Picture	Code	Description	RRP	
<b>AUDIO ELECTRONIC CALL</b>				
	<b>EXHITO AUDIO</b>			
	EX320	EXHITO Intercoms	R 248	
	EX301	Additional button module	R 36	
	EX304	Additional loudspeaker module	R 135	
	EX332	3 LED module to be inserted to indicate auxiliary services	R 90	
	<b>COMPACT AUDIO</b>			
	KM810W	White intercom with two buttons,built-in electronic bell, electronic microphone.	R 225	
	GM810W	Internal intercommunicating kit - 2 x KM810W handsets	R 849	
		<b>STUDIO AUDIO</b>		
		ST720W	White colour intercom - c/w 1 button - expand up to 7	R 268
WB700		Wall bracket for ST720W,ST740W and video memory	R 115	
ST701		Additional button unit for ST720W	R 32	
ST702		LED module for ST720W	R 61	
ST703		Three level switch for volume adjustment	R 52	
ST704		Additional loudspeaker	R 113	
ST715		Switch module to cut off ringer for ST720W	R 47	
ST716		Switch module with LED for ST720W	R 83	
TA700W		Table adapter for intercoms and intercom-telephone.	R 144	
TA720W	Table adapter for intercoms STUDIO series	R 524		
GM720W	Internal intercommunicating kit - 2 x ST720W handsets	R 899		
	<b>PROFILO AUDIO DOOR STATION</b>			
	PL10P	Module with door speaker (4+1audio system). No buttons	R 518	
	PL11P	Module with door speaker (4+1audio system). One button	R 630	
	PL12P	Module with door speaker (4+1audio system). Two buttons	R 668	
	PL122P	Module with door speaker (4+1audio system). Two buttons	R 655	
	PL124P	Module with door speaker (4+1audio system). Four buttons	R 824	
	PL20	Blank module	R 101	
	PL50	Street number module	R 293	
	PL21	Additional button module. With 1 call button	R 257	
	PL22	Additional button module. With 2 call buttons	R 304	
	PL23	Additional button module. With 3 call buttons	R 374	
	PL24	Additional button module. With 4 call buttons	R 425	
	PL226	Double row module, equipped with 6 buttons	R 549	
	PL228	Double row module, equipped with 8 buttons	R 641	
		<b>MATRIX AUDIO DOOR STATION (with New improved weatherproof finish!)</b>		
		MA10P	Module with door speaker (4+1audio system). No buttons	R 770
MA11P		Module with door speaker (4+1audio system). One button	R 902	
MA12P		Module with door speaker (4+1audio system). Two buttons	R 1,019	
MA20		Blank module	R 266	
MA22		Push-button module with 2 call buttons.	R 563	
MA24		Push-button module with 4 call buttons.	R 797	
	<b>UP DOOR STATION</b>			
	UP200	Surface mounting, with door speaker,2 butt.	R 360	
	UP100	Surface mounting, with door speaker,1 butt.	R 333	
	UP12	Flush mounting, with door speaker,2 buttons	R 378	
	UP11	Flush mounting, with door speaker,1 button	R 351	
	<b>SERVICE MODULES / ACCESSORIES</b>			
	PRS 210ED	Transformer 15VA.13Vca.VDE.On DIN bar (3 modules).	R 380	
	PRS 226EV	Power supply-switcher for intercommunicating18VA, with note generetor, on DIN bar	R 970	
	PRS 240	Stabilized power supply with electronic ringing generator for call,18 VA. On DIN bar	R 518	
	CV02	Call confirmation module for external door stations.	R 92	
	SM50E	Privacy module for elect. call systems 4+n	R 117	
	SR41	Electronic buzzer module.	R 122	
	1471E	Relay unit DIN bar (4 modules)	R 315	
	1472	Relay unit with two exchanges	R 268	
	RL36	Relay module to be fitted into the handsets	R 133	
	RL37	Relay unit note generetor, DIN bar 4 modules	R 419	

Picture	Code	Description	RRP	
<b>VIDEO ELECTRONIC CALL</b>				
<b>ECHOS VIDEO</b>				
	<b>EH9160CW</b>	Hand free monitor. LCD 3.5" adjustable screen. 6 buttons	R 4,140	
	<b>EH9160CT</b>	Hand free monitor. LCD 3.5" adjustable screen. 6 buttons. Silver colour	R 4,140	
	<b>9083</b>	Back box for Echos monitor	R 52	
	<b>WA9100W</b>	Fitting support for surface mounting. White colour	R 135	
	<b>WA9100T</b>	Fitting support for surface mounting. Silver colour	R 135	
	<b>TA9160</b>	Table adapter (2,4m cable) for EH9160CW.	R 1,125	
	<b>EH9160PLCW</b>	One-way videoKit: EH9160CW,9083,1281,1282E PL41PC,PL71	R 8,071	
	<b>EH9160PLCT</b>	One-way videoKit: EH9160CT,9083,1281,1282E PL41PC,PL71	R 8,127	
	<b>EXHITO VIDEO</b>			
	<b>EX3160</b>	Flat monitor with integrated encoding module	R 1,800	
	<b>EX3160C</b>	LCD 4" monitor with integrated encoding module.	R 3,015	
	<b>WB3160</b>	Wall bracket for STANDARD CABLING system monitor EX3160&EX3160C	R 383	
	<b>EX301</b>	Additional button module	R 36	
	<b>EX304</b>	Additional loudspeaker module	R 135	
	<b>EX332</b>	3 LED module to be inserted to indicate auxiliary services	R 90	
	<b>MC3000T</b>	Exhito Monitor Frame with Colour Techno-silver	R 72	
	<b>MC3000G</b>	Exhito Monitor Frame with Colour GREEN	R 72	
	<b>MC3000B</b>	Exhito Monitor Frame with Colour BLUE	R 72	
<b>STUDIO VIDEO</b>				
	<b>ST7100W</b>	FLAT monitor, white with button for Control switch ON and 1 for suppl.	R 1,616	
	<b>ST7100CW</b>	LCD monitor, white with button for Control switch ON and 1 for suppl.	R 3,056	
	<b>WB7100</b>	Wall bracket for ST7100W and ST7100CW.	R 410	
	<b>ST720W</b>	White colour intercom and intercommunicating system connected to 1 button up to 7	R 268	
	<b>WB700</b>	Wall bracket for ST720W,ST740W and video memory	R 115	
	<b>ST7M32W</b>	32 picture videomemory STUDIO line.	R 4,637	
	<b>TA7100W</b>	Table adapter (2,4m cable) for ST7100W,ST7100CW.	R 500	
	<b>ST701</b>	Additional button unit for ST720W	R 32	
	<b>ST702</b>	LED module for ST720W	R 61	
	<b>ST703</b>	Three level switch for volume adjustment	R 52	
	<b>ST704</b>	Additional loudspeaker	R 113	
	<b>ST715</b>	Switch module to cut off ringer for ST720W	R 47	
	<b>ST716</b>	Switch module with LED for ST720W	R 83	
	<b>PROFILO DOOR STATION</b>			
		<b>PL40P</b>	B/W camera, fixed 3,6 mm lens. Equipped with electric door speaker. No call buttons.	R 2,205
<b>PL40PC</b>		Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker. No call buttons.	R 3,366	
<b>PL41P</b>		B/W camera, fixed 3,6 mm lens. Equipped with electric door speaker and 1call button.	R 2,311	
<b>PL41PC</b>		Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker and 1 call button.	R 3,467	
<b>PL42P</b>		B/W camera, fixed 3,6 mm lens. Equipped with electric door speaker and 2 call buttons.	R 2,347	
<b>PL42PC</b>		Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker and 2 call buttons.	R 3,503	
<b>PL422P</b>		B/W camera, fixed 3,6 mm lens. Equipped with electric door speaker and 2 call buttons.	R 2,340	
<b>PL422PC</b>		Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker and 2 call buttons.	R 3,420	
<b>PL424P</b>		B/W camera, fixed 3,6 mm lens. Equipped with electric door speaker and 4 call buttons.	R 2,520	
<b>PL424PC</b>		Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker and 4 call buttons.	R 3,600	
<b>PL20</b>		Blank module	R 101	
<b>PL50</b>		Street number module	R 293	
<b>PL21</b>		Additional button module. With 1 call button	R 257	
<b>PL22</b>		Additional button module. With 2 call buttons	R 304	
<b>PL23</b>		Additional button module. With 3 call buttons	R 374	
<b>PL24</b>		Additional button module. With 4 call buttons	R 425	
<b>PL226</b>		Double row module, equipped with 6 buttons	R 549	
<b>PL228</b>		Double row module, equipped with 8 buttons	R 641	
<b>MATRIX DOOR STATION</b>				
	<b>MA42</b>	B/W camera equipped with door speaker, fixed 3,6mm lens.	R 2,421	
	<b>MA43</b>	B/W camera with door speaker, fixed 3,6mm lens,1 button.	R 2,642	
	<b>MA42C</b>	As MA42 but colour camera.	R 3,467	
	<b>MA43C</b>	As MA43 but colour camera.	R 3,677	
	<b>MA20</b>	Blank module	R 266	
	<b>MA22</b>	Push-button module with 2 call buttons.	R 563	
	<b>MA24</b>	Push-button module with 4 call buttons.	R 797	

Picture	Code	Description	RRP
<b>SERVICE MODULES / ACCESSORIES</b>			
	PRS 210	Transformer 15VA.13Vca.VDE.On DIN bar (3 modules).	R 295
	1281E	Power supply with timer integrated.On DIN bar (8 modules).	R 1,078
	476	Video amplifier and distributor (coax system)	R 596
	1281	Power supply, 48VA. 13Vca.21Vcc. VDE approved. On DIN bar ( 8 modules ).	R 1,008
	1382	Audio-Video timer in DIN bar ( 6 modules ).	R 389
	1472	Relay unit with two exchanges	R 268
	1473	2 entrance exchanger	R 540
	2443	Relay amplifier for intercommunicating system	R 376
	1273TV	Two entrances audio-video switching unit	R 923
	1282E	Audio-Video timer on DIN bar ( 6 modules ).	R 497
	1443E	Intercommunicating module for 1382	R 178
	1471E	Relay unit DIN bar (4 modules)	R 315
	DV2	2-way video distributor (coax system)	R 189
	DV4	4-way video distributor (coax system)	R 225
	CV01	Video converter from unbalanced to balanced line.	R 158
	CV03	Video converter from balanced to unbalanced line.	R 185
<b>REDUCED WIRE</b>			
<b>EXHITO - REDUCED WIRE</b>			
	EX321	<b>Reduced Wire</b> Exhito handset	R 248
	EX3160	<b>Reduced Wire</b> Flat monitor with integrated encoding module	R 1,800
	WB3161	<b>Reduced Wire</b> Wall bracket for EX3160	R 383
<b>ECHOS - REDUCED WIRE</b>			
	EH9161CT	<b>Reduced Wire</b> Hand free monitor. LCD 3.5" adjustable screen. 6 buttons	R 3,935
	WA9100T	Fitting support for surface mounting. White colour	R 135
<b>AGORA - REDUCED WIRE</b>			
	AG100A	<b>Agora</b> Audio Door Station surface mount enclosure and support frame.	R 473
	AG30ED	<b>Agora</b> Speaker Module for AG100A	R 459
	AG100V	<b>Agora</b> Video Door Station surface mount enclosure and support frame	R 675
	AG40CED	<b>Agora</b> Camera and speaker module for AG100V	R 3,195
	AG100T	<b>Agora</b> Additional Push button module. Fits up to 8 call button modules	R 1,080
	AG20	Blank Module	R 23
	AG21	Call Button Module	R 153
	<b>SERVICE MODULES</b>		
	1181E	<b>Reduced Wire</b> Power supply/timer 48VA. On DIN bar.	R 1,060
	RL37D	<b>Reduced Wire</b> Relay with ring tone generator	R 416
<b>AGORA KITS</b>			
	EX3161AG	<b>KIT Reduced Wire.</b> B&W video Kit. Agora Door station & Exhito B&W Monitor	R 5,040
	EH9161AGCT	<b>KIT Reduced Wire.</b> Colour video Kit. Agora Door station & Echos colour Monitor	R 7,065
<b>DUO SYSTEM</b>			
	ML2062C	DUO - Audio-video colour hands free indoor monitor with 4.3" 16:9 format screen Touch screen technology. White enclosure. 4 function keys (auto switching, lock release, video intercom, control panel). Supplied with stylus for touch screen.	R 6,975
	ML2083	Back box for ML2062C	R 72
	WA2160W	surface mount wall adaptor for ML2062C	R 113
	MC2000T	DUO Plastic front plate Silver colour	R 469
	ML2062PLC	DUO MyLogic Video Kit 1 fam. with Profilo	R 12,150
	ML2062CAG	DUO MyLogic Video Kit 1 fam. with Agora	R 11,700
<b>ECHOS VIDEO - DUO</b>			
	EH9262CW	ECHOS Hand free monitor with integrated encoding module. LCD 3.5" adjustable screen. White	R 4,275
	9083	Back box for Echos monitor	R 52
	WA9100W	Fitting support for surface mounting. White colour	R 135
	TA9160	Table adaptor (2,4m cable) for Echos	R 1,125
<b>EXHITO VIDEO - DUO</b>			
	EX3262	Exhito B/W monitor for DUO system	R 2,250
	EX3262C	Exhito COLOR monitor for DUO system	R 3,375
	TA3262	Table adaptor for the EXHITO Monitor	R 819
	WB3262	Exhito wall bracket for DUO system	R 900
	MC3000T	Exhito Monitor Frame with Colour Techno-silver	R 72
	MC3000G	Exhito Monitor Frame with Colour GREEN	R 72
	MC3000B	Exhito Monitor Frame with Colour BLUE	R 72
<b>COMPACT VIDEO - DUO</b>			
	KM8262CW	Compact series for DUO system. LCD monitor 4", colour	R 3,609
	KM8262W	Compact series for DUO system. Flat monitor 4", B/W	R 1,904
	WB8262	Wall bracket for KM8262W monitor	R 830
	WB8262C	Wall bracket for KM8262CW monitor	R 1,283

Picture	Code	Description	RRP
	<b>EXHITO AUDIO - DUO</b>		
	EX362	Exhito intercom for DUO system	R 945
	<b>COMPACT AUDIO - DUO</b>		
	KM862W	Compact intercom for DUO system	R 765
	<b>AGORA DOOR STATION</b>		
	VD2121CAG	Agora Colour Video Door Station c/w camera & speaker module, 1 call button and 1 blank module.	R 3,240
	AG100TS	Agora Additional Push button module. Fits up to 8 call button modules	R 851
	AG20	Blank Module	R 23
	AG21	Call Button Module	R 153
	<b>PROFILO DOOR STATION DUO</b>		
	VD2120CPL	Profilo VIDEO/AUDIO external door station,	R 2,700
	AD2120CPL	Profilo audio external door station,	R 1,170
	CD2131PL	Encoder with 1 call button.	R 1,350
	GD2132PL	Encoder with 2 call buttons.	R 1,395
	CD2134PL	Encoder with 4 call buttons.	R 1,418
	CD2138PL	Encoder with 8 call buttons.	R 1,575
	PL24S	Button panel with 4 call buttons	R 608
	PL228S	Button panel with 8 call buttons	R 743
	TD2100PL	Digital door station with front plate and 14 Key in stainless steel. With Elec.index for 250 names.	R 2,430
	<b>MATRIX DOOR STATION DUO</b>		
	VD2120CMA	External color camera without buttons. Matrix line	R 3,130
	VD2120MA	External camera without buttons. Matrix line	R 2,435
	AD2110MA	Matrix audio external door station for Duo System,	R 1,287
	CD2132MA	Encoder with 2 call buttons.	R 1,724
	CD2134MA	Encoder with 4 call buttons.	R 1,913
	MA22S	Button panel with 2 call buttons	R 934
	MA24S	Button panel with 4 call buttons	R 1,141
	TD2100MA	Antivandal digital button panel. Matrix line	R 2,529
	<b>SERVICE MODULES / ACCESSORIES - DUO</b>		
	2273	Digital exchanger to split the installation in several risers	R 815
	2281	Actuator. Smart relay unit for Duo System	R 997
	2302	DUO cable. Twisted pair, 1mm square. Non polarized	R 16
	2220S	Power supplier for door units	R 315
	2221S	Power supplier for Riser	R 1,260
	2223	Video booster for DUO B&W	R 639
	2223C	Video booster for DUO Color	R 1,222
	DV2420	Video signal distributor	R 171
	DV2421P	Used to take the signal from the riser to the internal device.	R 178
	2221ML	Line Power Supply for ML2062C	R 1,152
	DV2422A	Line Distributor for ML2062C	R 1,004
	<b>DF6000 2 WIRE DIGITAL</b>		
	<b>(600 METERS MAX ON 1MM RIPCORD - AUDIO ONLY)</b>		
	<b>EXHITO</b>		
	EX322	Intercoms EXHITO DF 6000 technology- floor call, door release button + additional button.	R 518
	<b>COMPACT</b>		
	KM812W	Basic handset, white with 1 button. Compact	R 333
	<b>MODY DOOR STATION</b>		
	MD10D	Mod. with electric door speaker 0 call button for DF6000.	R 621
	MD11D	Mod. with electric door speaker 1 call button for DF6000.	R 700
	MD12D	Mod. with electric door speaker 2 call buttonS for DF6000.	R 745
	TD6100	Digital push button panel	R 2,284
	TD4110	Name plane panel for 12 names.	R 207
	RD4120	Electronic index for 200 names	R 1,373
	MD30	Electric door speaker for MD10, MD11, MD12.	R 212
	<b>NEW! MATRIX DOOR STATION FOR DF6000</b>		
	MA11PED	Matrix speaker module with 1 call button for DF6000	R 1,089
	TD6100MA	Matrix Digital Push button panel for DF6000	R 2,835
	<b>SERVICE MODULES / ACCESSORIES</b>		
	PRS 6220	Power supply 40VA.127-230V. 13Vca, 15Vcc.	R 882
	4244	Kit decoding module up to 16 buttons.	R 617
	6273	Digital switching unit.	R 988

Picture	Code	Description	RRP
<b>FN4000 5 WIRE DIGITAL</b>			
<b>ECHOS</b>			
	<b>EH9160CWDG</b>	Hand free monitor with integrated encoding module. LCD 3.5" adjustable screen.	R 4,275
	<b>9083</b>	Back box for Echos monitor	R 52
	<b>WA9100W</b>	Fitting support for surface mounting. White colour	R 135
	<b>TA9160</b>	Table adapter (2,4m cable) for EH9160CWDG.	R 1,125
	<b>EXHITO</b>		
	<b>EX3160</b>	Flat monitor B&W with integrated encoding module	R 1,800
	<b>EX3160C</b>	LCD 4" monitor with integrated encoding module.	R 3,015
	<b>WB3160DG</b>	Wall bracket for DIGITAL FN 4000 system monitor EX3160&EX3160C	R 810
	<b>EX301</b>	Additional button module	R 36
	<b>EX304</b>	Additional loudspeaker module	R 135
	<b>EX332</b>	3 LED module to be inserted to indicate auxiliary services	R 90
	<b>MC3000T</b>	Exhito Monitor Frame with Colour Techno-silver	R 72
	<b>MC3000G</b>	Exhito Monitor Frame with Colour GREEN	R 72
	<b>MC3000B</b>	Exhito Monitor Frame with Colour BLUE	R 72
	<b>EXHITO AUDIO</b>		
	<b>EX320DG</b>	Exhito Intercoms Digital	R 595
	<b>EX301</b>	Additional button module	R 36
	<b>EX304</b>	Additional loudspeaker module	R 135
	<b>EX332</b>	3 LED module to be inserted to indicate auxiliary services	R 90
	<b>COMPACT AUDIO</b>		
	<b>KM810WDG</b>	Digital intercom with integrated decoding module	R 466
	<b>PROFILO DOOR STATION</b>		
	<b>PL40PCDG</b>	Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker. No call buttons.	R 3,375
	<b>PL41PCDG</b>	Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker. 1 call button	coming
	<b>PL42PCDG</b>	Colour camera, fixed 3,6 mm lens. Equipped with electric door speaker. 2 call buttons.	R 3,407
	<b>PL10P</b>	Module with door speaker (4+1 audio system). No buttons	R 518
	<b>CD4134PL</b>	Encoder with 4 call buttons.It codes up to 63 users	R 1,602
	<b>CD4138PL</b>	Encoder with 8 call buttons.It codes up to 63 users	R 1,755
	<b>PL24S</b>	Button panel with 4 call buttons	R 608
	<b>PL228S</b>	Button panel with 8 call buttons	R 743
	<b>TD4100PL</b>	Digital door station with front plate and 14 Key in stainless steel.With Elec.index for 250 names.	R 2,525
		<b>MATRIX DOOR STATION</b>	
<b>MA42DG</b>		B/W camera equipped with door speaker, for FN4000	R 2,417
<b>MA42CDG</b>		Colour camera equipped with door speaker, for FN4000	R 3,510
<b>MA43DG</b>		B/W camera for FN4000, door speaker and 1 button	R 2,621
<b>MA43CDG</b>		Colour camera for FN4000, door speaker and 1 button	R 3,708
<b>MA10P</b>		AUDIO Module with electric door speaker without call button.	R 770
<b>MA22S</b>		Button panel with 2 call buttons	R 934
<b>MA24S</b>		Button panel with 4 call buttons	R 1,141
<b>CD4130MA</b>		Analog/Digital Interface of MATRIX series.	R 1,562
<b>TD4100MA</b>		Digital door station of MATRIX series with front plate and 14 Key in stainless steel.	R 2,525
	<b>SERVICE MODULES / ACCESSORIES</b>		
	<b>PDX4000</b>	Digital door keeper exchanger	R 4,178
	<b>PRS 210</b>	Transformer 15VA.13Vca.VDE.On DIN bar (3 modules).	R 295
	<b>PRS 4220</b>	Power supply 40VA. 127-230V.13Vca,12Vcc.	R 905
	<b>476</b>	Video amplifier and distributor (coax system)	R 596
	<b>1472</b>	Relay unit with two exchanges	R 268
	<b>1473</b>	2 entrance exchanger	R 540
	<b>4230</b>	Decoding module for supplementary services.	R 1,204
	<b>4244</b>	Kit decoding module up to 16 buttons.	R 154
	<b>4284</b>	FN-4000 Fibre Optic Interface PCB	R 2,475
	<b>1471E</b>	Relay unit DIN bar (4 modules)	R 315
	<b>4231TP</b>	Decode mod. for intercoms Project series	R 475
	<b>4235TV</b>	Decoding module for 4 monitors	R 1,663
	<b>4235TVP</b>	Decoding module for 4 monitors and conventional push-button panel interface.	R 1,769
	<b>4273P</b>	Digital exchanger	R 842
	<b>CV01</b>	Video converter from unbalanced to balanced line.	R 158
	<b>CV03</b>	Video converter from balanced to unbalanced line.	R 185
	<b>DV2</b>	2-way video distributor (coax system)	R 189
	<b>DV4</b>	4-way video distributor (coax system)	R 225
	<b>ST4231</b>	Single decode module for ST720W.	R 590

Picture	Code	Description	RRP	
<b>DOOR STATION HOUSINGS</b>				
<b>PROFILO</b>				
	PL71	Built-in back box. Fit for 1 module	R 313	
	PL72	Built-in back box. Fit for 2 modules	R 369	
	PL73	Built-in back box. Fit for 3 modules	R 421	
	PL81	Hood cover suitable for 1 Profilo module - To be installed together with PL71 back box.	R 351	
	PL82	Hood cover suitable for 1 Profilo module - To be installed together with PL72 back box.	R 446	
	PL83	Hood cover suitable for 1 Profilo module - To be installed together with PL73 back box.	R 542	
	PL84	Hood cover suitable for 1 Profilo module - To be installed together with 2 x PL72 back box.	R 637	
	PL86	Hood cover suitable for 1 Profilo module - To be installed together with 2 x PL73 back box.	R 799	
	PL89	Hood cover suitable for 1 Profilo module - To be installed together with 3 x PL73 back box.	R 1,033	
	PL91	Rain shelter for 1 Profilo module. Surface mount	R 803	
	PL92	Rain shelter for 2 Profilo modules. Surface mount, vertical	R 1,006	
	PL93	Rain shelter for 3 Profilo modules. Surface mount, vertical	R 1,258	
	PL94	Rain shelter for 4 Profilo modules. Surface mount, 2 vertical rows	R 1,638	
	PL96	Rain shelter for 6 Profilo modules. Surface mount, 2 vertical rows	R 1,960	
	PL99	Rain shelter for 9 Profilo modules. Surface mount, 3 vertical rows	R 2,707	
	<b>MATRIX</b>			
		MA61	Front frame for 1 module.	R 248
		MA62	Front frame for 2 modules.	R 304
		MA63	Front frame for 3 modules.	R 416
MA71		Module frame with back box for 1 module	R 684	
MA72		Module frame with back box for 2 modules	R 968	
MA73		Module frame with back box for 3 modules	R 1,103	
MAR91S		Housing - 1 Matrix Module - Stainless - Surface - 304	R 1,420	
MAR92S		Housing - 2 Matrix Module - Stainless - Surface - 304	R 1,984	
MAR93S		Housing - 3 Matrix Module - Stainless - Surface - 304	R 2,223	
MAR94S		Housing - 4 Matrix Module - Stainless - Surface - 304	R 2,538	
MAR96S		Housing - 6 Matrix Module - Stainless - Surface - 304	R 3,144	
MAR99S	Housing - 9 Matrix Module - Stainless - Surface - 304	R 5,744		
GOOSE S/S	Gooseneck - Stainless Steel - 304	R 1,985		
GOOSE S/S316	Gooseneck - Stainless Steel - 316 - available on special request	POA		
<b>AGORA</b>				
AG81R	Rain shelter Aluminium - Antique silver	R 495		
<b>TELECOMS</b>				
<b>MINI PABX</b>				
	FT208PP	Telephone switchboard;2 x 8 with <b>surge protection</b>	R 6,750	
	FT208P	Telephone switchboard;2 x 8	R 4,464	
	ES60	Intercom interface, lock release, 2 relays	R 644	
	ES65	Intercom interface, lock release, 4 relays	R 767	
	ES70	Call line ID	R 533	
	ES90	Decoder Card - 16 Users	R 463	
	FT11D	Intercom to telephone interf. (SATRA appr.)	R 1,447	
	PR2	Protection for 2 trunk lines	R 1,067	
	PRAL	Protection for main	R 1,013	
	<b>ACCESS CONTROL</b>			
<b>PROXIMITY READERS</b>				
	FP52PL	Proximity Reader for Profilo series.	R 1,949	
	FP11/10	10 Cards ISO for 10 users.	R 401	
	FP12/10	10 Passive key ring Tag for 10 users	R 468	
	FP52	Proximity Reader for Mody series.	R 2,196	
	FP11/10	10 Cards ISO for 10 users.	R 401	
	FP12/10	10 Passive key ring Tag for 10 users	R 468	
<b>KEY PADS</b>				
	FC52PL	Access control keypad for Profilo series.	R 1,298	
	FC52P	Access control keypad for Mody series.	R 1,022	
	FC52MA	2 relays for lock opening,12 programmable codes (IP45)	R 1,472	
	FC21E	Access control keypad (plastic). 8 programmable codes.	R 513	
	FC32P	Access control keypad (aluminium). 4 programmable codes. 2 relays for lock opening,	R 1,094	
	FC42	Access control keypad (stain. steel). 8 programmable codes. 2 relays for lock opening,	R 1,573	